SINGLE COPY ONLY



SID 62-186

MOCKUP NUMBER 13 CREW SUPPORT EQUIPMENT SPECIFICATION PROJECT APOLLO SPACECRAFT (Unclassified)



28 February 1962

4.5.27

Approved by

J. W. Paup Vice President and Apollo Program Manager

This document covarins information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18 U.S.C. Section 793 and 794. Its transmission or revelation of its contents in any manner to an unauthorized person is prohibited by law.

DOWNGADED AT 3 YEAR INTERVALS: DECLASSINED AFTER 12 YEARS. DOD DIR 520,10

NORTH AMERICAN AVIATION, INC. SPACE and INFORMATION SYSTEMS DIVISION

SOMFIDENTIAL

To UNCLASSIFIED

By authority of Changed by Changed by Changed by Changed by Classified Document Master Control Station, Scientific and Technical Information

FORM M158-D-4 LEDGER REV. 2-61



CONTENTS

Paragraph	Title	Page
1.	SCOPE	1
1.1	Scope	1
2.	APPLICABLE DOCUMENTS	1
2.1	General	1
3.	REQUIREMENTS	1
3.1	Mock-Up Configuration	1
3.1.1	Couches	1
3.2	Construction	1
3.3	Performance	2
4.	QUALITY ASSURANCE PROVISIONS	2
5.	PREPARATION FOR DELIVERY	2
5.1	General	2
6.	NOTES	2
6.1	Intended Use	2



PIDENTIAL

APPENDICES

Appendix		Page
I-A	Government-Furnished Property, Contractor- Installed	5
I-B	Contractor-Furnished Equipment, Contractor-Installed	6
	ILLUSTRATIONS	
Figure		Page
1	Preliminary Couch Support	3
2	Profile of Maximum Seat Excursion	



1. SCOPE

1.1 <u>Scope</u>. - This specification covers a Crew Support Equipment Mock-up of the Apollo Spacecraft Command Module.

2. APPLICABLE DOCUMENTS

2.1 General. - The following documents shall form a part of this specification.

Government Documents

Bulletins

ARDCM-80-1 Volume 1 Handbook of Instructions for Aircraft Designers

3. REQUIREMENTS

- 3.1 <u>Mock-Up Configuration</u>. The mockup shall be located in a partial spacecraft command module. The mockup shall simulate the following:
 - (a) Couches
 - (b) Shock and vibration mitigation system
 - (c) Personal parachute
 - (d) Restraint system
 - (e) Pressure suits
- 3.1.1 Couches. The couches shall be located as shown on Figure 1. The couches shall extend and retract to the positions as shown on Figure 2.
- 3.2 Construction. Materials and processes used in the construction of the mockup shall provide an inexpensive mockup of the crew support equipment. Materials used shall support installations and shall withstand handling and transportation. Assemblies, parts and components of the mockup shall be either rejected items of equipment prototypes or reasonable facsimiles, fabricated to the size and shape of the actual equipment. ARDCM-80-1, Volume 1 shall be used for guidance and reference material in the design and construction of the mockup.





5.11

- 3.3 <u>Performance</u>. The mockup shall be designed and constructed to determine the following:
 - (a) Optimum design for the support and restraint system
 - (b) Anthropometric requirements
 - (c) Couch configuration and adjustability
 - (d) Crew protection requirements
 - (e) Mobility of crew
 - (f) Feasibility of shock and vibration mitigation system
- 4. QUALITY ASSURANCE PROVISIONS (Not Applicable)
- 5. PREPARATION FOR DELIVERY
 - 5.1 General. The mockup shall be used at the contractor's facility.
- 6. NOTES
- 6.1 <u>Intended Use</u>. The mockup is intended to aid in engineering design evaluation.








Figure 1. Preliminary Couch Support








Figure 2. Profile of Maximum Seat Excursion'From "A" to "B"



TATAL

Appendix I-A

Government-Furnished Property, Contractor-Installed

Part No.		uipment
Description	Pressure Suits	Portable Life Support Equipment
Quantity		
Item No.	1	7

COMEIDENTIAL



Appendix I-B

Contractor-Furnished Equipment Contractor-Installed

Description

Mechanical System

a. seats, couches, etc.

Quantity

Item No.

VONTIDENTIAL